

Taxonomic Reference List

Ammobaculites cf. *A. exiguum* Cushman and Brönnimann, 1948, p. 38, pl. 7, figs. 7–8.

- predominantly *Ammobaculites exiguum* potentially with *Ammotium salsum*, lumped together due to the fragmented nature of the specimens and lack of consensus and ability to differentiate between species when broken.

Ammonia parkinsoniana (d'Orbigny) = *Rosalina parkinsoniana* d'Orbigny, 1839a, p. 99, pl. 4, figs. 25–27.

Ammonia tepida (Cushman) = *Rotalia beccari* (Linnaeus) var. *tepida* Cushman, 1926, p. 79, pl. 1, figs. 8a–c.

Ammonia sp. Genus Brünnich, 1771.

Ammoastuta inepta (Cushman and McCulloch) = *Ammobaculites ineptus* Cushman and McCulloch, 1939, p. 89, pl. 7, fig. 6.

Ammotium cassis (Parker) = *Lituola cassis* Parker, in Dawson, 1870, p. 177, pl. 180, fig. 3.

Ammotium salsum sp. A Genus Loeblich and Tappan, 1953.

Arenoparella mexicana (Kornfeld) = *Trochammina inflata* (Montagu) var. *mexicana* Kornfeld, 1931, p. 86, pl. 13, fig. 5a–c.

Bolivina sp. Genus d'Orbigny, 1839b.

Buccella frigida (Cushman) = *Pulvinulina frigida* (Cushman, 1922), p. 12, Michelsen, 1967, p. 228, pl. 3, fig. 1.

Bulimina elongata d'Orbigny, 1846, p. 187, pl. 11, figs. 19–20.

Cornuspira sp. Genus Schultze, 1854.

Cribroelphidium poeyanum = *Polystomella poeyana* d'Orbigny, 1839a, p. 55, pl. 6, figs. 25–26.

? *Discorbis* sp. Genus de Lamarck, 1804.

Eggerella sp. Genus Cushman, 1933.

Elphidium cf. *E. excavatum* (Terquem) = *Polystomella excavatum* Terquem, 1875, p. 20, pl. 2, figs. 2a–b.

- predominantly *Elphidium excavatum* potentially lumped together with *Elphidium mexicanum* and *Elphidium bartletti* due to the lack of consensus and ability to differentiate between species.

Elphidium gunteri Cole, 1931, p. 34, pl. 4, figs. 9–10.

Elphidium sp. Genus Montfort, 1808.

Elphidium subarcticum Cushman, 1944, p. 27, pl. 3, figs. 34–35.

Eponides sp. Genus Montfort, 1808.

Haplophragmoides bonplondi Todd and Brönnimann, 1957, p. 23, pl. 2, fig. 2.

Haplophragmoides manilaensis Andersen, 1953, p. 22, pl. 4, fig. 8a–b.

Haplophragmoides wilberti Andersen, 1953, p. 21, pl. 4, fig. 7.

Haplophragmoides sp. Genus Cushman, 1910.

Haynesina germanica (Ehrenberg) = *Nonionella germanica* Ehrenberg, 1840, pl. 23, Ehrenberg, 1841, pl. 2, figs. 1a–g.

Haynesina cf. *H. orbiculare* (Brady) = *Nonionina orbiculare* Brady, 1881a, b, 1884; Miller et al., 1982, p. 2362, pl. 2, fig. 7.

Helenina anderseni (Warren) = *Pseudoeponides anderseni* Warren, 1957, p. 39, pl. 4, figs. 12–15.

Jadammina macrescens = *Entzia macrescens* (Brady) = *Trochammina inflata* (Montagu) var. *macrescens* Brady, 1870, p. 290, pl. 11, figs. 5a–c.

Lagenammina atlantica (Cushman) = *Proteonina atlantica* Cushman, 1944, p. 5, pl. 1, fig. 4.

Lepidodeuterammina ochracea (Williamson) = *Rotalina ochracea* Williamson, 1858, p. 55, pl. 4, fig. 112, pl. 5, fig. 113.

Lobatula lobatula (Walker and Jacob) = *Nautilus lobatus* Walker and Jacob, 1798, p. 642, pl. 14, fig. 36.

Miliammina fusca (Brady) = *Quinqueloculina fusca* Brady in Brady and Robertson, 1870, p. 47, pl. 11, figs. 2–3.

Nonionella atlantica Cushman, 1947, p. 90, pl. 20, figs. 4–5.

Quinqueloculina jugosa (Cushman) = *Quinqueloculina seminula* (Linnaeus) var. *jugosa*
Cushman, 1944, p. 13, pl. 2, fig. 15.

Quinqueloculina cf. *Q. milletti* (Wiesner) = *Adelosina milletti* Wiesner, 1923 in
Boltovskoy et al., 1980, pl. 28, fig. 13–17.

Quinqueloculina seminulum (Linnaeus) = *Serpula seminula* Linnaeus, 1758, p. 786, pl. 2,
figs. 1a–c.

Quinqueloculina sp. Genus d'Orbigny, 1826.

Reophax cf. *R. nana* Rhumbler, 1911, p. 182, pl. 8, figs. 6–12.

Siphotrechammina lobata Saunders, 1957, p. 9–10, pl. 3, figs. 1–2.

Textularia earlandi Parker, 1952, p. 458.

Tiphotrecha comprimata (Cushman and Brönnimann) = *Trochammina comprimata*
Cushman and Brönnimann, 1948, p. 41, pl. 8, figs. 1–3.

Trochammina inflata (Montagu) = *Nautilus inflatus* Montagu, 1808, p. 81, pl. 18, fig. 3.

References Cited in Taxonomic Reference List

- Andersen, H. V., 1953, Two new species of *Haplophragmoides* from the Louisiana coast: Contributions from the Cushman Foundation for Foraminiferal Research, v. 4, p. 20–22.
- Boltovskoy, E., Giussani, G., Watanabe, S., and Wright, R. C., 1980. Atlas of benthic shelf foraminifer of the southwest Atlantic: The Hague, Junk Publishers, 147 p.
- Brady, H. B., 1881a, Über einige Arktische Tiefsee- Foraminiferen gesammelt während der österreichisch-ungarischen Nordpol-Expedition in den Jahren 1872–1874, in Denkschriften der Kaiserlichen Akademie der Wissenschaften: Wien, Mathematisch-Naturwissenschaftlichen Classe, v. 43, p. 91–110.
- Brady, H. B., 1881b, On some Arctic foraminifera from soundings obtained on the Austro-Hungarian North Polar Expedition of 1872–1874: Annals and Magazine of Natural History, ser. 5, v. 8, p. 393–418.
- Brady, H. B., 1884, Report on the foraminifera dredged by H. M. S. Challenger, during the years 1873–1876, in Report on the Scientific results of the Voyage of H. M. S. Challenger during the years 1873–1876: Zoology, v. 9, 814 p.
- Brady, H. B., and Robertson, D., 1870, The ostracoda and foraminifera of tidal rivers with an analysis and description of the Foraminifera: Annals and Magazine of Natural History, v. 6, p. 273–309.
- Brünnich, M. T., 1771, Zoologiae fundamenta: Hafniae et Lipsiae, 254 p.
- Cole, W. S., 1931, The Pliocene and Pleistocene foraminifera of Florida: Florida State Geological Survey Bulletin, v. 6, 79 p.
- Cushman, J. A., 1910, A monograph on the foraminifera of the North Pacific Ocean, Part I- Astrorhizidae and Lituolidae: Bulletin of the United States National Museum, v. 71(1), p. 1–134.
- Cushman, J. A., 1922, Results of the Hudson Bay Expedition, 1920- 1. The Foraminifera: Contributions to Canadian Biology, v. 9, p. 135–147.
- Cushman, J. A., 1926, Recent foraminifera from Porto Rico: Publications of the Carnegie Institution of Washington, v. 342, p. 73–84.
- Cushman, J. A., 1933, New Arctic foraminifera collected by Capt. R. A. Bartlett from Fox Basin and off the northeast coast of Greenland: Smithsonian Miscellaneous Collections, v. 89, p. 1–8.

Cushman, J. A., 1944, Foraminifera from the shallow water of the New England coast: Cushman Laboratory for Foraminiferal Research Special Publication 12, p. 1–37.

Cushman, J. A., 1947, New species and varieties of foraminifera from off the southeastern coast of the United States: Contributions from the Cushman Laboratory for Foraminiferal Research, v. 23, p. 86–92.

Cushman, J. A., and Brönnimann, P., 1948, Some new genera and species of foraminifera from brackish water of Trinidad: Contributions from the Cushman Laboratory of Foraminiferal Research, v. 24, p. 15–21.

Cushman, J. A., and McCulloch, I., 1939, A report of some arenaceous foraminifera: Alan Hancock Foundation Pacific Expeditions, v. 6, 114 p.

Dawson, G. M., 1870, On foraminifera from the Gulf and River St. Lawrence: Canadian Naturalist and Quarterly Journal of Science, v. 5, p. 172–177.

de Lamarck, J. B., and de Monet, A. P., 1804, Suite des mémoires sur les fossiles des environs de Paris: Annales Musée Histoire et Naturelles, v. 5, p. 349–357.

Denys de Montfort, P., 1808, Conchyliologie systématique et classification méthodique des coquilles, Paris: Schoell, v. 1, 676 p.

d'Orbigny, A. D., 1826, Tableau méthodique de la classe Céphalopodes: Annales des Sciences Naturelles, v. 7, p. 245–314.

d'Orbigny, A. D., 1839a, Foraminifères, Part 2 of natural history in de la Sagra, R., Histoire physique, politique et naturelle de l'île de Cuba: Arthus Bertrand, Paris, 224 p.

d'Orbigny, A. D., 1839b, Voyage dans l'Amérique méridionale— Foraminifères, v. 5, pt. 5, Paris and Strasbourg: P. Bertrand, p. 1–86.

d'Orbigny, A. D., 1846, Foraminifères fossiles du Bassin Tertiaire de Vienne (Autriche): die fossilen foraminiferen des tertären beckens Von Wien: Paris, Verlags Buchhandlung von Gide et Comp., no. 5, 312 p.

Ehrenberg, C. G., 1840, Eine weitere Erläuterung des Organismus mehrerer in Berlin lebend beobachteter Polythalamien der Nordsee: Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlichen Preussischen Akademie der Wissenschaften zu Berlin, p. 18–23.

Kornfeld, M. M., 1931, Recent littoral foraminifera from Texas and Louisiana: Contributions from the Department of Geology of Stanford University, v. 1, p. 77–101.

- Linnaeus, C., 1758, *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. G. Engelmann (Lipsiae), ed. 10, v. 1, 824 p.
- Loeblich, A. R., and Tappan, H., 1953, Studies of Arctic foraminifera: Smithsonian Miscellaneous Collection, v. 121, p. 1–150.
- Michelsen, O., 1967, Foraminifera of the Late-Quaternary deposits of Læsø: Meddelelser fra Dansk Geologisk Forening, v. 17, p. 205–263.
- Miller, A. A., Scott, D. B., and Medioli, F. S., 1982, *Elphidium excavatum* (Terquem): ecophenotypic versus subspecific variation: Journal of Foraminiferal Research, v. 12, p. 116–144.
- Montagu, G., 1808, Testacea Britannica, supplement: Exeter, England, S. Woolmer, 183 p.
- Parker, F. L., 1952, Foraminiferal distribution in the Long Island Sound-Buzzards Bay area: Bulletin of the Harvard Museum of Comparative Zoology, v. 106, p. 425–473.
- Rhumbler, L., 1911, Die foraminiferen (Thalamophoren) der Plankton-Expedition: Ergebnisse der Plakton-Expedition der Humboldt-Stiftung, v. 3, 331 p.
- Saunders, J. B., 1957, Trochamminidae and certain Lituolidae (Foraminifera) from the recent brackish-water sediments of Trinidad, British West Indies: Smithsonian Miscellaneous Collection, v. 134, p. 1–16.
- Schultze, M. S., 1854, Über den Organismus der Polythalamien (Foraminiferen) nebst Bemerkungen über die Rhizopoden im Allgemeinen: Leipzig Wilhelm Englemann, 68 p.
- Terquem, M. O., 1875, *Essai sur le classement des animaux qui vivent sur la plage et dans les environs de Dunkerque*: Paris, p. 153.
- Todd, R., and Brönnimann, P., 1957, Recent foraminifera and the camoebina from the eastern Gulf of Paria: Cushman Foundation for Foraminiferal Research, Special Publication 3, p. 43.
- Walker, G., and Jacob, E., 1798, in Kanmacher, F., Adams' Essays on the Microscope: Dillon and Keating, London, p. 629–645.
- Warren, A. D., 1957, Foraminifera of the Buras-Scofield Bayou region, southeast Louisiana: Contributions from the Cushman Foundation for Foraminiferal Research, v. 8, p. 29–40.

Wiesner, H., 1923, Die milioliden der östlichen Adria: privately printed, Prag-Bubenc,
113 p.

Williamson, W. C., 1858, On the recent foraminifera of Great Britain: Ray Society,
London, v. 29, 107 p.